

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PHILOSOPHICAL

TRANSACTIONS.

I. A Letter from James Badenach, M. D. to Mathew Maty, M. D. Sec. R. S. containing a technical Description of an uncommon Bird from Malacca.

SIR,

Read Jan. 9. Here present you a curious and uncommon species of bird, which I met with at Malacca in August 1770. The male, female, and two young ones, were purchased at that place from the natives, but died soon afterwards on Vol. LXII.

B board

[2]

board of ship, in the passage from that port to China. The character and history of this bird, as they then occurred to me, and were immediately noted down in my journal, in the manner of the great Linnæus, are as follows.

T A B. I.

Mas. Magnitudo perdricis vulgaris, corpus supra virescens, subtus nigricans, remiges primores grise, cauda brevis rotundata, apice nigro. Frons calva, crista coccinea ex occipite orta, è 15 circiter plumulis sesquipollicaribus, respectu capitis, suberecta, divaricata. Rostrum convexum breve; mandibula superior nigra, supra inferiorem, margine rubro cerato, imbricata; nares oblonge, orbite rubre, oculi purpurei; ad basin rostri mystaces aliquot albescentes. Femora seminuda, tibie longe, rubre, graciles. Pedes tetradactyli, sissi incarnati, subnodosi, digitus posticus reliquis crassior, brevior, truncatusque.


Fæmina. Mare paulo minor, crista nulla, remiges primores & tectrices alarum ruso serrugineæ.

Pulli. Pulli lanuginosi atri, aqua delectantes.

Vox. Mas & fæmina voce sonora frequenter sibi-

Nidus inter gramina, arundinesque.

Vietus. Oryza, pane in aqua missa vescitur.



[3]

What genus this bird is properly to be referred to, I shall not pretend to determine; but if you think this, though but imperfect account, worth the communicating to your Society, you have my leave; and I am, with respect,

SIR,

Your most obedient,

and most humble servant,

London, October 13, 1771.

James Badenach, M. D.